

Product info LOQED Touch Smart Lock

This document contains all the information you need to set up your store.



Product texts

English

Model name	Touch Smart Lock
USP 1	Open your door with a single touch
USP 2	SKG three-star certified
USP 3	Includes bridge, code access, cylinder, and batteries
USP 4	Open the door remotely with the app
USP 5	Fits most doors
Description	<p>The only smart lock that opens your door with a single touch. With Touch to Open, you don't need to open the LOQED app to unlock your door. You can keep your phone in your pocket, and leave your physical keys in the back of a drawer, as you'll never need them again.</p> <p><i>The LOQED Touch Smart Lock</i> The LOQED Touch Smart Lock is the most complete, and first 100% keyless smart lock on the market. Thanks to the innovative Touch to Open technology, you can open your door with a simple touch. Searching for your keys is now a thing of the past and your phone can simply stay in your pocket or bag. And if you don't have your phone with you, you can always enter with your personal code. How's that for making an entrance?</p> <p><i>How does it work?</i> While you arrive, your phone automatically connects to the lock via Bluetooth. The display will then show "Touch to Open", but only if you are outside and within three meters of the lock. Thanks to an indoor and outdoor sensor, the lock knows where you are. Your front door will therefore not open when you enter through the back door.</p> <p><i>Secure and SKG three star certified</i> The LOQED Touch Smart Lock uses 256-bit encryption and has the highest achievable SKG three-star certificate, in addition to a hardened steel drilling protection in place, behind the module on the outside of the door. The lock also does not have any vulnerabilities that come with a keyhole.</p> <p><i>Functionalities of the App</i> With the LOQED app you get numerous useful functionalities for your front door lock that you didn't know you needed.</p> <p><i>Open remotely</i> Allow guests or service providers in, wherever you are. No need to make numerous spare keys to divide among friends and family.</p> <p><i>Manage users</i></p>

Share keys with anyone, limit their permissions, and revoke access remotely whenever and wherever you like. You can even set a predetermined date when the key expires, ideal for Airbnb.

Integrate with other smart products

Integrate the smart lock with a variety of smart home platforms and smart devices. Google Assistant, Homey, Olisto, Loxone, Fibaro, and many more are supported.

Notifications & log

Know when your housekeeper or children arrive and see when your door was opened and by who in the log. Also, a practical feature for small businesses.

Time schedules

Give the housekeeper or dog walker a key that only works on specific days and times. You can even make a key with an expiration date for your guests.

Locks automatically

Let the LOQED lock automatically when you leave the house, choose to lock the door with a single touch, or set it to lock at a predefined time.

Open house mode

With open house mode, anyone can enter with a tap on the outside module, no need for a phone or access code. Perfect for children and parties.

Why choose the LOQED Touch Smart Lock?

- Touch to Open technology
- Premium high quality materials
- SKG three-star certified
- Complete package – includes bridge, code access, and cylinder

What's in the box?

- Indoor module: this completely replaces your current interior door fittings.
- Outdoor module: this is mounted on your existing door fittings.
- Euro Profile cylinder (suitable for door thicknesses up to 110mm)
- Bridge (connects the lock to your Wi-Fi network)
- Allen key
- 8 AA batteries (lasts up to 12 months)
- Not included: outside door furniture (you can use your current furniture)

Specifications

- Connectivity: Wi-Fi 2.4 GHz & Bluetooth 4.2 LE
- Waterproof rating outside module: IP 68
- Power supply: 8x AA battery, max 15V DC
- Maximum distance between lock and bridge: 3 meters
- Outside module: 51mm * 33mm * 8mm
- Inside module: 284mm * 60mm * 29mm without knob and handle, 284mm * 60mm * 69mm with knob and handle

Does it fit my door?

The LOQED Touch Smart Lock fits most doors. Do the installation-check to find out whether it fits yours [<https://loqed.com/r/installation-check-en>].

- Door thicknesses: up to 110mm for a symmetric door, or up to 55mm measured from the cylinder screw.
- The most common center-to-center distances: PC 55, 72, 92 and 110 mm.
- Any backset larger than or equal to 30 mm.
- Anti plug pulling door hardware covering the cylinder.
- Multipoint door locks – whether they have three, five or seven bolts.
- Handle operated doors, where the handle needs to be lifted to lock the door. You still have to manually lift the handle upward after closing the door.
- Door locks where the lock cylinder is below (normal) or above the handle.

Installation guide

The installation guide can be found here: <https://loqed.com/r/installation-guide-en>

Supported phones

- Android version 8 or higher
- iOS version 13 or higher

German

Model name	Touch Smart Lock
USP 1	
USP 2	
USP 3	
USP 4	
USP 5	
Description	<p>Das einzige intelligente Schloss, mit dem Ihre Tür mit einer einzigen Berührung geöffnet werden kann. Mit Touch to Open müssen Sie die LOQED-App nicht öffnen, um Ihre Tür zu öffnen. Sie können Ihr Telefon in der Tasche lassen und Ihre physischen Schlüssel hinten in einer Schublade verschwinden lassen, da Sie sie nie wieder brauchen werden.</p> <p><i>Das LOQED Touch Smart-Schloss</i> Das LOQED Touch Smart-Schloss ist das umfassendste und erste 100% Schlüsselloses intelligentes Schloss auf dem Markt. Mit der innovativen Touch to Open-Technologie können Sie Ihre Tür mit einer einfachen Berührung öffnen. Die Suche nach Ihren Schlüsseln gehört nun der Vergangenheit an und Ihr Telefon kann einfach in Ihrer Tasche bleiben. Und wenn Sie Ihr Telefon nicht dabei haben, können Sie jederzeit mit Ihrem persönlichen Code ins Haus kommen. Das ist ein schönes nach Hause kommen.</p> <p><i>Wie funktioniert das Ganze?</i> Wenn Sie ankommen, verbindet sich Ihr Handy automatisch über Bluetooth mit dem Schloss. Auf dem Display erscheint dann "Touch to Open", allerdings nur, wenn Sie vor der Tür sind und sich innerhalb von drei Metern zum Schloss befinden. Dank eines Innen- und Außensensors weiß das Schloss, wo Sie sich befinden. Ihre Haustür lässt sich also nicht öffnen, wenn Sie durch die Hintertür nachhause kommen.</p> <p><i>Sicher und SKG Drei-Sterne-zertifiziert</i> Das LOQED Touch Smart-Schloss verwendet eine 256-Bit-Verschlüsselung und verfügt über das höchste erreichbare SKG Drei-Sterne-Zertifikat, zusätzlich hat es ein gehärteten Stahlbohrschutz hinter dem Modul an der Außenseite der Tür. Das Schloss hat auch keine Schwachstellen die mit einem Schlüsselloch zusammen hängen.</p> <p><i>Funktionalitäten der App</i> Mit der LOQED-App erhalten Sie eine Reihe von Funktionalitäten für Ihre Haustür, von denen Sie nicht wussten, dass Sie sie brauchen.</p> <p><i>Aus der Ferne öffnen</i> Lassen Sie Gäste oder Dienstleister ins Haus, wo immer Sie sind. Sie brauchen nicht mehr zahlreiche Ersatzschlüssel anzufertigen lassen, und unter Freunden und Familie aufzuteilen.</p>

Verwalten Sie Benutzer

Geben Sie Schlüssel an beliebige Personen weiter, schränken Sie deren Berechtigungen ein und widerrufen Sie den Zugang aus der Ferne, wann und wo immer Sie wollen. Sie können sogar ein bestimmtes Datum festlegen, an dem der Schlüssel entzogen wird - ideal für Airbnb.

Integration mit intelligenten Produkten

Integrieren Sie das intelligente Schloss mit einer Vielzahl von Smart-Home-Plattformen und intelligenten Geräten.

Benachrichtigungen & Protokoll

Überprüfen Sie, wann Ihre Haushälterin oder Ihre Kinder nach Hause kommen und sehen Sie im Protokoll, wann und von wem Ihre Tür geöffnet wurde. Auch eine praktische Funktion für kleine Unternehmen.

Zeitpläne

Geben Sie der Haushälterin oder dem Hundeausführer einen Schlüssel, der nur an bestimmten Tagen und zu bestimmten Zeiten funktioniert. Sie können sogar einen Schlüssel mit einem Verfallsdatum für Ihre Gäste erstellen.

Automatisch verriegeln

Lassen Sie das LOQED automatisch verriegeln, wenn Sie das Haus verlassen, oder wählen Sie, dass die Tür mit einer Berührung verriegelt wird, oder stellen Sie es so ein, dass es zu einer vordefinierten Zeit verriegelt.

"Open House" Modus

Mit dem Modus "Open House" kann jeder mit einer Berührung auf das Außenmodul eintreten, ohne dass ein Telefon oder ein Zugangscode erforderlich ist. Perfekt für Kinder und Partys.

Warum sollten Sie sich für das LOQED Touch Smart Lock entscheiden?

- Touch-to-Open-Technologie
- Erstklassige, hochwertige Materialien
- SKG Drei-Sterne-zertifiziert
- Komplettpaket - mit Brücke, Zugangscode und Zylinder

In der Verpackung enthalten

- Außenmodul: wird an Ihren bestehenden Türbeschlägen montiert.
- Innenmodul: Dieses Modul ersetzt vollständig Ihren derzeitigen Innenbeschlag.
- Euro-Profilzylinder (geeignet für Türstärken bis zu 110 mm)
- Bridge (verbindet das Schloss mit Ihrem WiFi-Netzwerk)
- Inbusschlüssel
- 8 AA-Batterien (halten bis 12 Monate)
- Nicht enthalten: Außentürbeschläge (Sie können Ihre derzeitigen Beschläge verwenden)

Technische Daten

- Konnektivität: Wi-Fi 2,4 GHz und Bluetooth 4.2 LE
- Wasserdichtigkeit des Außenmoduls: IP 68
- Stromversorgung: 8x AA-Batterie, max 15V DC


	<ul style="list-style-type: none"> ● Maximale Entfernung zwischen Schloss und Brücke: 3 Meter ● Äußeres Modul: 51mm * 33mm * 8mm ● Inneres Modul: 284mm * 60mm * 29mm ohne Knauf und Griff, 284mm * 60mm * 69mm mit Knauf und Griff <p>Unterstützte Türen</p> <ul style="list-style-type: none"> ● Türstärken: bis zu 110mm für eine symmetrische Tür, oder bis zu 55mm gemessen von der Zylinderschraube. ● Die gebräuchlichsten Achsabstände: PC 55, 72, 92 und 110 mm. ● Jedes Dornmaß größer als oder gleich 30 mm. ● Türbeschläge, die den Zylinder abdecken, um ein Herausziehen des Stopfens zu verhindern. ● Mehrpunkt-Türschlösser - mit drei, fünf oder sieben Riegeln. ● Drückerbetätigte Türen, bei denen der Drücker angehoben werden muss, um die Tür zu verriegeln. Sie müssen den Griff nach dem Schließen der Tür immer noch manuell nach oben ziehen. ● Türschlösser, bei denen sich der Schließzylinder oberhalb des Griffs befindet. ● Weitere Informationen finden Sie auf dem Bild und unter diesem Link
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Videos and images

Images	The LOQED logo, product images and lifestyle images are available for download at: https://loqed.com/materials
Videos	<p>The product video is available for download at: https://loqed.com/materials</p> <p>Alternatively, the video can be embedded from our Youtube account: https://www.youtube.com/channel/UCVgRVXlxht6MbnQJC78TPDQ/video</p> <p>S</p>

Technical information

Colour	Stainless steel
IP Rating	<ul style="list-style-type: none"> ● Inside module: none (do not use it on e.g. gates) ● Outside module: IP 68
Connectivity	<ul style="list-style-type: none"> ● Wi-Fi 2.4 GHz



	<ul style="list-style-type: none"> • Bluetooth 4.2 LE
Power supply	<ul style="list-style-type: none"> • Smart lock: 8x AA batteries (can be rechargeable) • Bridge: 100-240V, 50-60Hz, EU plug type C
Batteries	<ul style="list-style-type: none"> • Quantity: 8 • Type: AA Alkaline • 18.400 mAh total (8x 2300 mAh) • Average lifetime: 6500 hours • Maximum lifetime: 9000 hours
Dimensions	<ul style="list-style-type: none"> • Outside module: 51mm * 33mm * 8mm • Inside module: 284mm * 60mm * 29mm without knob and handle, 284mm * 60mm * 69mm with knob and handle • Bridge:  <p>The diagram shows a side view of the lock bridge. It is a vertical rectangular component with a horizontal handle extending from the left side. Dimension lines indicate the following measurements: a width of 60.00 mm at the top; a height of 102.50 mm from the top edge to the center of the handle; a height of 181.50 mm from the bottom edge to the center of the handle; and a total height of 284.00 mm from the bottom edge to the top edge.</p>
Compatibility	<p>Supported doors</p> <ul style="list-style-type: none"> • Doors with Euro profile mortise locks • Door thicknesses: up to 110mm for a symmetric door, or up to 55mm measured from the cylinder screw. • The most common center-to-center distances: PC 55, 72, 92 and 110 mm. • Any backset larger than or equal to 30 mm. • Anti plug pulling door hardware covering the cylinder. • Multi-point door locks – whether they have three, five or seven bolts. • Handle operated doors, where the handle needs to be lifted to lock the door. You still have to manually lift the handle upward after closing the door. • Door locks where the lock cylinder is above the handle. <p>Not supported doors</p> <ul style="list-style-type: none"> • Sliding doors that have an extra long handle on the inside. • Doors where both sides are exposed to the weather or very low temperatures. This is generally the case for gates and

	<p>unheated sheds. Only the outside module is fully waterproof.</p> <ul style="list-style-type: none"> • Doors with rim locks, as these have a different cylinder profile. We recommend changing these locks for a SKG certified multi-point Euro profile lock. For more information click here. • Locks where you need to turn the key, lift the handle, and turn the key again. These locks are very rare.
Weight excl. packaging	1,205 kg

Logistic information

EAN-13 / GTIN	8719326820101
GS1 Category Path	<p>91000000 - Safety/Security/Surveillance » 91030000 - Home/Business Safety/Security/Surveillance » 91030200 - Door/Window/Perimeter Security Products » 10005400 - Door/Gate/Window Bolts/Locks/Keys</p>
SKU (LOQED)	1001
HS Code	83014000 (Other locks)
Retail packaging	<ul style="list-style-type: none"> • Number of products: 1 • Dimensions: 188,5 x 76,0 x 321,5 mm • Weight excluding product: 0,505 kg • Weight including product: 1,710 kg • The EAN code is printed on this packaging
Inner carton	<ul style="list-style-type: none"> • Number of products: 1 • Dimensions: 198 x 85 x 328 mm • Weight excluding product: 0,12 kg • Weight including product: 1,83 kg • The EAN code is <u>also</u> printed on this packaging
Outer carton	<p>For extra protection, the products are transported per two. Number of products: 2</p> <ul style="list-style-type: none"> • Dimensions: t.b.d. mm • Weight excluding product: t.b.d. kg • Weight including product: t.b.d. Kg • No EAN code is printed on this packaging
Units per Euro pallet	<p>Euro pallet is assumed to be 1200 x 800 mm with a maximum loaded height of 1540 mm and 25kg.</p> <ul style="list-style-type: none"> • Number of products: 280 • Number of outer packages: 140 • Loaded weight (including Euro pallet): 636,5 kg
MSRP	€ 349 incl. VAT

Certifications

SKG rating (security rating)	SKG 3-star SKG ✓  [®] SKG  [®] SKG
WEEE	<ul style="list-style-type: none">• Germany:• The Netherlands: RL00041584
German Extended Producer Responsibility (EPR)	<ul style="list-style-type: none">• Verpackungsregister LUCID number: DE1503998162043• Batteries:
CE	2014/53/EU